




## TECHNICAL DATA

Easily accessible

Width:	3,77 m
Length:	8,77 m
Height:	3,55 m
Impact area F:	54,76 m <sup>2</sup>
Dimensions of packed item:	3,30 x 0,75 x 0,50 m
Weight of item:	70 kg
HIC:	1,36 m
Dimensions of impact area length:	12,16 m
Dimensions of impact area width:	6,73 m
Depth of foundations:	-0,60 m

Top view with impact area



SATERNUS DISTRIBUTION Sp. z o. o. sp. k.  
ul. Nowa 32  
41-500 Chorzów  
Polska

Certificate holder

Producer  
Distributor

GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to copyright protection under the Act of 04.02.1994 on copyright and related rights (Journal of Laws No. 28, item. 83) and especially art. 78 and 79 of that Act.


GRUPA SATERNUS Sp. z o.o. S. K. A. (legal successor Place Zabaw Saternus Sp. z o.o.)

Saternus Production Sp. z o.o. sp. k.  
Saternus Distribution Sp. z o.o. sp. k.

## General view of device

The device according to PN-EN 1176-1:2017-12 standards playground equipment. General safety requirements and examination methods.

Safety surface: sand, gravel, bark, rubber (minimal thickness for all loose surfaces 300 mm)



SATERNUS DISTRIBUTION Sp. z o. o. sp. k.  
ul. Nowa 32  
41-500 Chorzów  
Polska

Certificate holder

Producer  
Distributor

GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to copyright protection under the Act of 04.02.1994 on copyright and related rights (Journal of Laws No. 28, item. 83) and especially art. 78 and 79 of that Act.

GRUPA SATERNUS Sp. z o.o. S. K. A. (legal successor Place Zabaw Saternus Sp. z o.o.)

Saternus Production Sp. z o.o. sp. k.  
Saternus Distribution Sp. z o.o. sp. k.

## LIST OF ELEMENTS

Climbing wall 90cm:  
Digonal ropenet 90cm:  
Drawing board:  
Entry stairs 90cm:  
Flagpole:  
Slide 136cm:  
Triple tower without roof, platform 136cm:  
Vertical ladder:

## MATERIALS

2	Anchors:	bath-galvanized steel
2	Blackboard:	shuttering plywood 15mm thick, painted with a blackboard paint
1		
1	Caps:	plastic
1	Climbing wall:	shuttering waterproof plywood, climbing grips made of material, based on resins
1		
1	Construction Legs:	glued laminated timber, varnish painted green
1		
	Foundations:	concret min. B-15 standard
	Platforms, stairs:	impregnated boards
	Roof elements:	HDPE plate
	Ropes:	polypropylene braided with a steel, interconnected by plastic fasteners
	Slide:	stainless steel
	Steel elements:	bath-galvanized steel, powder painted



SATERNUS DISTRIBUTION Sp. z o. o. sp. k.  
ul. Nowa 32  
41-500 Chorzów  
Polska

Certificate holder

Producer  
Distributor

GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to copyright protection under the Act of 04.02.1994 on copyright and related rights (Journal of Laws No. 28, item. 83) and especially art. 78 and 79 of that Act.

GRUPA SATERNUS Sp. z o.o. S. K. A. (legal successor Place Zabaw Saternus Sp. z o.o.)

Saternus Production Sp. z o.o. sp. k.  
Saternus Distribution Sp. z o.o. sp. k.